

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

---

Insecta Mundi

Center for Systematic Entomology, Gainesville,  
Florida

---

3-27-2020

## On the distribution of *Phlegyas* Stål (Hemiptera: Heteroptera: Pachygronthidae)

John M. Leavengood, Jr.

USDA APHIS Plant Protection and Quarantine, [John.M.Leavengood@usda.gov](mailto:John.M.Leavengood@usda.gov)

Follow this and additional works at: <https://digitalcommons.unl.edu/insectamundi>



Part of the [Ecology and Evolutionary Biology Commons](#), and the [Entomology Commons](#)

---

Leavengood, Jr., John M., "On the distribution of *Phlegyas* Stål (Hemiptera: Heteroptera: Pachygronthidae)" (2020). *Insecta Mundi*. 1257.  
<https://digitalcommons.unl.edu/insectamundi/1257>

This Article is brought to you for free and open access by the Center for Systematic Entomology, Gainesville, Florida at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Insecta Mundi by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

# INSECTA MUNDI

A Journal of World Insect Systematics

---

0758

On the distribution of *Phlegyas* Stål  
(Hemiptera: Heteroptera: Pachygronthidae)

John M. Leavengood, Jr.  
United States Department of Agriculture,  
Animal and Plant Health Inspection Service,  
Plant Protection and Quarantine  
9325 Bay Plaza Blvd, Suite 206  
Tampa, Florida, USA 33619

Date of issue: March 27, 2020

John M. Leavengood, Jr.

On the distribution of *Phlegyas* Stål (Hemiptera: Heteroptera: Pachygronthidae)

Insecta Mundi 0758: 1–4

ZooBank Registered: urn:lsid:zoobank.org:pub:45CEE731-1824-4849-AE53-8D191A8ADADB

**Published in 2020 by**

Center for Systematic Entomology, Inc.

P.O. Box 141874

Gainesville, FL 32614-1874 USA

<http://centerforsystematicentomology.org/>

**Insecta Mundi** is a journal primarily devoted to insect systematics, but articles can be published on any non-marine arthropod. Topics considered for publication include systematics, taxonomy, nomenclature, checklists, faunal works, and natural history. *Insecta Mundi* will not consider works in the applied sciences (i.e. medical entomology, pest control research, etc.), and no longer publishes book reviews or editorials. *Insecta Mundi* publishes original research or discoveries in an inexpensive and timely manner, distributing them free via open access on the internet on the date of publication.

*Insecta Mundi* is referenced or abstracted by several sources, including the Zoological Record and CAB Abstracts. *Insecta Mundi* is published irregularly throughout the year, with completed manuscripts assigned an individual number. Manuscripts must be peer reviewed prior to submission, after which they are reviewed by the editorial board to ensure quality. One author of each submitted manuscript must be a current member of the Center for Systematic Entomology.

Guidelines and requirements for the preparation of manuscripts are available on the *Insecta Mundi* website at <http://centerforsystematicentomology.org/insectamundi/>

**Chief Editor:** David Plotkin, [insectamundi@gmail.com](mailto:insectamundi@gmail.com)

**Assistant Editor:** Paul E. Skelley, [insectamundi@gmail.com](mailto:insectamundi@gmail.com)

**Head Layout Editor:** Robert G. Forsyth

**Editorial Board:** J. H. Frank, M. J. Paulsen

**Founding Editors:** Ross H. Arnett, Jr., Virendra Gupta, John B. Heppner, Lionel A. Stange, Michael C. Thomas, Robert E. Woodruff

**Review Editors:** Listed on the *Insecta Mundi* webpage

**Printed copies (ISSN 0749-6737) annually deposited in libraries**

CSIRO, Canberra, ACT, Australia

Museu de Zoologia, São Paulo, Brazil

Agriculture and Agrifood Canada, Ottawa, ON, Canada

The Natural History Museum, London, UK

Muzeum i Instytut Zoologii PAN, Warsaw, Poland

National Taiwan University, Taipei, Taiwan

California Academy of Sciences, San Francisco, CA, USA

Florida Department of Agriculture and Consumer Services, Gainesville, FL, USA

Field Museum of Natural History, Chicago, IL, USA

National Museum of Natural History, Smithsonian Institution, Washington, DC, USA

Zoological Institute of Russian Academy of Sciences, Saint-Petersburg, Russia

**Electronic copies (Online ISSN 1942-1354, CDROM ISSN 1942-1362) in PDF format**

Printed CD or DVD mailed to all members at end of year. Archived digitally by Portico.

Florida Virtual Campus: <http://purl.fcla.edu/fcla/insectamundi>

University of Nebraska-Lincoln, Digital Commons: <http://digitalcommons.unl.edu/insectamundi/>

Goethe-Universität, Frankfurt am Main: <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:hebis:30:3-135240>

**Copyright** held by the author(s). This is an open access article distributed under the terms of the Creative Commons, Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original author(s) and source are credited. <http://creativecommons.org/licenses/by-nc/3.0/>

**Layout Editor for this article:** Robert G. Forsyth

## On the distribution of *Phlegyas* Stål (Hemiptera: Heteroptera: Pachygronthidae)

John M. Leavengood, Jr.

United States Department of Agriculture,  
Animal and Plant Health Inspection Service,  
Plant Protection and Quarantine  
9325 Bay Plaza Blvd, Suite 206  
Tampa, Florida, USA 33619  
John.M.Leavengood@usda.gov

**Abstract.** Updated distributions are provided for all three species of *Phlegyas* Stål (Hemiptera: Heteroptera: Pachygronthidae) in the New World: *Phlegyas abbreviatus* (Uhler, 1876), *P. annulicrus* Stål, 1869, and *P. patruelis* Berg, 1883. In total, four new state records for the United States of America, four new state records for Mexico, one new Canadian provincial record, and one new country record (Nicaragua, *P. annulicrus*) are presented, along with remarks and corrections.

**Key words.** Lygaeoidea, New World, Pachygronthinae.

### Introduction

The New World genus *Phlegyas* Stål (Hemiptera: Heteroptera: Pachygronthidae) is represented by only three species: *Phlegyas abbreviatus* (Uhler, 1876), *P. annulicrus* Stål, 1869, and *P. patruelis* Berg, 1883. These bugs are associated with grasses or grassy fields and can be collected in great numbers (Slater and Baranowski 1990; Cervantes et al. 2014). Cervantes et al. (2014) provided the most thorough natural history account of any single species (*P. annulicrus*), including descriptions of the nymph stages and a redescription of the adult. Keys to distinguish the species can be found in Slater (1955; all three species), Slater and Baranowski (1990; Florida) and Baranowski and Slater (2005; West Indies, one questionable record).

Herein, new state records are presented for the United States of America and Mexico, a new province record for Canada, and *P. annulicrus* is reported from Nicaragua. Updated distributions are provided for each species combining these new records with the literature.

### Methods

Collection holdings representing *Phlegyas* were examined in order to better understand the distribution of the group. For each species, identifications were checked using primary literature (Slater 1955; Slater and Baranowski 1990; Baranowski and Slater 2005), species determinations were performed, corrections were made, and label data were compared to the literature in order to expand the known distributions for each species. Specimens examined from the author's private collection (JMLC; Tampa, Florida), Texas A&M University (TAMU; College Station, Texas), the Florida State Collection of Arthropods (FSCA; Gainesville, Florida) and the Smithsonian Natural History Museum (NMNH; Washington, D. C.) provided data. All new state and country records include verbatim label data and repository data for the specimens examined.

### Results and Discussion

#### *Phlegyas abbreviatus* (Uhler, 1876)

**Distribution.** AR, CA, CO, CT, DC, **DE (new state record)**, FL, GA, IA, IL, IN, KS, KY, MA, MD, ME, MI, MN, MS, MO, MT, NC, NE, NH, NJ, NY, OH, OK, PA, RI, SC, TN, TX, VA, VT, **WI (new state**

**record), WV (new state record), WY, and Canada (BC, NB (new province record), ONT, QUE)** (Ashlock and Slater 1988; Slater and Baranowski 1990; Chordas et al. 2005). There is a single record (NMNH) from Trinidad, probably erroneous or “introduced in commerce” (Baranowski and Slater 2005).

**Specimens examined. CANADA: New Brunswick:** Long Creek, 12-IX-1961, D. E. Leonard (NMNH, 3). **USA: Delaware:** Sussex Co.: 7.5 mi E of Bridgeville, 18-VII-1989, G. F. & J. F. Hevel (NMNH, 6); **West Virginia:** Pocahontas County: Cranberry Glades Botanical Gardens, off State Hwy 130, elevation 3589', 8-VIII-2009, J. M. Leavengood, Jr. & E. Chapman (JMLC, 1); **Wisconsin:** Blooming Grove, 18-VI-1998, S. G. Wellso (TAMU, 2); Muskego, 21-VII-1939, P. B. Lawson (NMNH, 1).

### ***Phlegyas annulicrus* Stål, 1869**

(Fig. 1–3)

**Distribution.** AZ, CA, FL, GA, ID, KS, LA, MO, MS, NC, NJ, **NM (new state record)**, OK, SC, TX, UT, Canada (BC), Mexico (Ashlock and Slater 1988; Slater and Baranowski 1990; Scudder 2012) and **Nicaragua (new country record)**. Slater (1955) listed Mississippi whereas subsequent literature listed Missouri (perhaps in error). This species is known to occur in the following states of Mexico: Aguascalientes, Baja California Sur, **Chiapas (new state record)**, **Coahuila (new state record)**, Colima, Distrito Federal, Guanajuato, Guerrero, Jalisco, Estado de México, Michoacán, Morelos, Nayarit, Nuevo León, Oaxaca, Puebla, San Luis Potosí, Sonora, **Tamaulipas (new state record)**, Veracruz and **Zacatecas (new state record)** (Cervantes et al. 2014).

**Specimens examined. MEXICO: Chiapas:** 3 mi S.W. Cintalapa, 19-X-1976, Cate & Clark (TAMU, 1), 12 mi. east Huixtan, 15-IX-1990, Robert W. Jones (TAMU, 1), Chorreadero Canyon, Tuxtla Gutierrez, 20-VI-1987 (TAMU, 2); **Coahuila:** El Infante, 18-IX-1976, W. F. Chamberlain (TAMU, 2); **Tamaulipas:** 7 miles south of Antiguo Morelos, 21-VIII-1974, W. E. Clark (TAMU, 1); **Zacatecas:** Rt. 54, circa Las Palmas, 1500 m elevation, 21.149020° N 103.18290° W, 22-X-2005, C. H. Dietrich (FSCA, 6; JMLC, 5), 24.7 mi. s. Juchipila, 6-VIII-1988, Ferreira, Schaffner (TAMU, 2), 4 mi NE Concepción del Oro, 4-VII-1984, J. B. Woolley (TAMU, 2), Tropic of Cancer marker on highway 54, elevation 1958 m., 14-VII-1984, J. B. Woolley (TAMU, 1), 2.6 km E of rt. 54, 1600m, 21.08947° N 103.13170° W, 22-X-2005, C. H. Dietrich (FSCA, 3). **NICARAGUA:** Esteli Dept.: 13.4 mi. NW Sebago, 17-VI-1972, CA-3, R. R. & M. E. Murray (TAMU, 1). **USA: New Mexico:** Harding County: Gallegos, 16-VI-1992, W. F. Chamberlain (TAMU, 1), Hidalgo County: 5.8 miles west Animas, 31°56'31" N 108°54'48" W, el. 4450 ft., 25-VIII-2000, J. C. Schaffner (TAMU, 1), Peloncillo Mts., Geronimo Pass Rd., along creekbed, N31°31.090' W109°00.20', 16-VIII-2009, CW & LB O'Brien (FSCA, 1).

**Diagnostic remarks.** Slater (1956) noted that [some] specimens from southern Mexico were darker colored and may be mistaken for *P. abbreviatus*, but that examination of the claspers and antennae facilitate distinguishing the species apart. Cervantes et al. (2014) also provides a detailed discussion to separate the two species. I examined large series of TAMU specimens from Mexico and observed specimens with strikingly dark (particularly anterior) pronotal coloration (Fig. 3) with the rest of the body of typical coloration. One specimen (TAMU, Chiapas) had an entirely black pronotum (Fig. 2), with the front legs and central scutellar marking notably darker than I had otherwise seen. The lone specimen representing the new record for Nicaragua was of typical coloration (Fig. 1).

### ***Phlegyas patruelis* Berg, 1883**

**Distribution.** Melo et al. (2004) recorded *P. patruelis* from Argentina, Paraguay and Uruguay. Perhaps an accidental omission, Melo et al. (2004) did not include Bolivia, although Slater (1966) noted specimens in the Drake Collection. Dellapé et al. (2015) included more detail regarding distributional records in Argentina.

## Acknowledgments

My sincerest gratitude to Alexander Knudson (North Dakota State University) and Charles A. Boring (USDA-PPQ, Miami, Florida) for their reviews of this manuscript. I wish to thank my former supervisor Elias Gonzalez (USDA-PPQ, Los Indios, Texas) for his support of my taxonomic work, as well as Ed Riley and Karen Wright (TAMU, College Station, Texas) for making the collection available over the weekend during my visit and facilitating loans. I must also thank my present supervisors, Andre McCarroll (USDA-PPQ, Tampa, Florida) and Kevin Johns (USDA-PPQ, Tampa, Florida) for supporting my research interests.


## Literature Cited

- Ashlock, P. D., and J. A. Slater. 1988.** Family Lygaeidae Schilling, 1829 (= Infericornes Amyot and Serville, 1843; Myodochidae Kirkaldy, 1899; Geocoridae Kirkaldy, 1902). The seed bugs and chinch bugs. p. 167–245. *In*: T. J. Henry and R. C. Froeschner (eds.). Catalog of the Heteroptera, or true bugs, of Canada and the continental United States. E. J. Brill, Pub.; New York City, NY. 958 p.
- Baranowski, R. M., and J. A. Slater. 2005.** The Lygaeidae of the West Indies. Florida Agricultural Experiment Station; Gainesville, Florida. 266 p.
- Cervantes, L., J. Baez Santacruz, and H. Brailovsky. 2014.** *Phlegyas annulicrus* Stål (Hemiptera: Heteroptera: Lygaeoidea: Pachygronthidae: Teracriini): immature stages, phenology, and distribution in Mexico. *Studies on Neotropical Fauna and Environment* 49(3): 222–230.
- Chordas, III, S. W., H. W. Robison, E. G. Chapman, B. G. Crump, and P. W. Kovarik. 2005.** Fifty-four state records of true bugs (Hemiptera: Heteroptera) from Arkansas. *Journal of the Arkansas Academy of Science* 59: 43–50.
- Dellapé, P. M., M. Cecilia Melo, S. I. Montemayor, G. Dellapé, and H. Brailovsky. 2015.** Terrestrial Heteroptera (Hemiptera) from Moconá Provincial Park (Misiones, Argentina). *Check List* 11(3): 1–18.
- Melo, M. C., P. M. Dellapé, D. L. Carpintero, and M. del C. Coscaron. 2004.** Miridae, Reduviidae and Lygaeoidea (Hemiptera) collected in Colonia Carlos Pellegrini (Iberá watershed, Corrientes, Argentina). *Revista de la Sociedad Entomológica Argentina* 63(1–2): 59–67.
- Scudder, G. G. E. 2012.** Additional provincial and state records for Heteroptera (Hemiptera) in Canada and the United States. *Journal of the Entomological Society of British Columbia* 109: 55–69.
- Slater, J. A. 1955.** A revision of the subfamily Pachygronthinae of the world (Hemiptera: Lygaeidae). *The Philippine Journal of Science* 84(1): 1–167.
- Slater, J. A. 1956.** Neotropical Pachygronthinae in the American Museum of Natural History (Hemiptera, Lygaeidae). *American Museum Novitates* 1769: 1–5.
- Slater, J. A. 1966.** A further contribution to our knowledge of the Pachygronthinae (Hemiptera: Lygaeidae). *Australian Journal of Entomology* 5(1): 51–65.
- Slater, J. A., and R. M. Baranowski. 1990.** Lygaeidae of Florida (Hemiptera: Heteroptera). *Arthropods of Florida and neighboring land areas*, volume 14. Florida Department of Agriculture and Consumer Services; Gainesville, Florida. 211 p.

Received March 6, 2020; accepted March 9, 2020.

Review editor David Plotkin.





**Figures 1–3.** *Phlegyas annulicrus* Stål. **1)** Mexico, Puebla (TAMU). **2)** Mexico, Chiapas (TAMU). **3)** Mexico, Puebla (TAMU).